



Item: Pain Freeze
 Certificate ID#: H008-125-40
 Collected: 17 MAY 2022
 Strain:
 Batch/Lot ID Code: 303

Received: 19 MAY 2022



Client Name: Summitt Labs
 Address: 6375 Harney Rd., Ste. 106, Tampa, FL 33610

License #:
 Report Date: 09 JUN 2022

| | |
|----------------------------------|--------------------------------------|
| ND Total Potential THC | 0.796% Total Potential CBD |
|----------------------------------|--------------------------------------|

| |
|-------------------------------------|
| 0.796% Total Cannabinoids |
|-------------------------------------|

| Cannabinoid Profile | | | |
|---------------------|---------------|-----------|---------|
| Analyte | LOQ (wt/wt) % | (wt/wt) % | mg/each |
| Δ9-THC | 0.019 | ND | N/A |
| Δ8-THC | 0.061 | ND | N/A |
| THCA-A | 0.036 | ND | N/A |
| CBD | 0.001 | 0.796 | 579.08 |
| CBDA | 0.004 | ND | N/A |
| CBN | 0.023 | ND | N/A |
| CBG | 0.024 | ND | N/A |
| CBGA | 0.002 | ND | N/A |

| Cannabinoid Profile | | | |
|---------------------|---------------|-----------|---------|
| Analyte | LOQ (wt/wt) % | (wt/wt) % | mg/each |
| CBC | 0.019 | ND | N/A |
| CBCA | 0.045 | ND | N/A |
| THCV | 0.036 | ND | N/A |
| THCVA | 0.032 | ND | N/A |
| CBDV | 0.024 | ND | N/A |
| CBDVA | 0.027 | ND | N/A |
| CBL | 0.020 | ND | N/A |
| CBLA | 0.012 | ND | N/A |

Total Potential THC = (THCA * 0.877) + Δ9-THC
 Total Potential CBD = (CBDA * 0.877) + CBD
 (wt/wt) % = Percent (Weight of Analyte / Weight of Product)
 *Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

Cannabinoids analyzed per Atlas Labs FL ATP-5100 on Waters Aquity UPLC.

Terms & Definitions:
 ND = Not Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation

I certify that this sample has been tested by Atlas Labs FL, LLC. All results are reported on AS-IS basis.

Andrea Salcedo

Andrea Salcedo
 Laboratory Manager



This product has been tested by Atlas Labs FL, LLC using validated testing methodologies under a QMS as required by ISO 17025:2017 and Florida state law. Sample collected per Atlas Labs' SOP-3006. This certificate may not be reproduced except in full, without the written approval of Atlas Labs FL, LLC. Additional information, if applicable, may be included on separate reports. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Action levels are State determined thresholds for human safety for consumption and/or inhalation. The results >99% are variable based on uncertainty of measurement for the analyte. The measurement uncertainty is available from the lab upon request.